

Optimizing the control of foot-and-mouth disease in Denmark by simulation Consequences of changes in herd sizes and densities for the contingency planning

Hisham Beshara Halasa, Tariq; Boklund, Anette ; Enøe, Claes; Christiansen, Lasse Engbo

Publication date:
2012

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):

Hisham Beshara Halasa, T., Boklund, A., Enøe, C., & Christiansen, L. E. (2012). Optimizing the control of foot-and-mouth disease in Denmark by simulation: Consequences of changes in herd sizes and densities for the contingency planning [Sound/Visual production (digital)]. Closing seminar for Optimizing the control of foot-and-mouth disease in Denmark by simulation, Copenhagen, Denmark, 09/05/2012

DTU Library Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Optimizing the control of foot-and-mouth disease in Denmark by simulation


Consequences of changes in herd sizes and densities for the contingency planning

Tariq Halasa

Anette Boklund

Claes Enøe

Lasse Engbo Christiansen



Background - 1

- The livestock agricultural sector is expected to change
- Fewer, but larger herds
- Larger distances between herds

Background - 2

- Would FMD spread more or less?
- Would an FMD epidemic cost more or less?
- Would the change in structure of the livestock industry lead to a change in the preferred control strategy?



Methods - data

- Several farm and index files were produced based on our predictions
- All farm files were used to run the basic scenario
- One farm file was chosen
 - Alternative scenarios were run on this farm file
- All inputs were assumed to stay the same as in 2006/2007 simulations
 - Except low risk contacts
 - Increased by 50%
- DTU-DADS and ISP were used to model future scenarios

Methods – control strategies

- Scenarios
 - Basic scenario
 - Basic EU regulations PLUS extra Danish control measures
 - Pre-emptive depopulation (after 10 det. Herds)
 - In different zone sizes
 - Emergency vaccination (after 10 det. Herds)
 - In different zone sizes

Results – different farm files

- Starting in **high dense cattle** areas – **DTU-DADS**

Farm file	Epidemic duration (days)	Infected herds	Total costs (x€10 ⁶)
Results as median (5-95)			
AFA	45 (18-98)	58 (14-163)	531 (413-753)
AFB*	41 (16-88)	54 (11-159)	528 (405-746)
BFA	59 (18-150)	83 (13-280)	597 (415-1,011)
BFB	55 (17-146)	74 (13-269)	592 (409-1,021)
CFA	34 (13-68)	38 (11-98)	487 (395-635)
CFB	31 (14-67)	36 (11-100)	482 (398-638)

* log-linear per region for all years and herd categories

Results – different farm files

- Starting in **high dense cattle** areas – **DTU-DADS**

Farm file	Epidemic duration (days)	Infected herds	Total costs (x€10 ⁶)
Results as median (5-95)			
AFA	45 (18-98)	58 (14-163)	531 (413-753)
AFB	41 (16-88)	54 (11-159)	528 (405-746)
AFBL*	43 (16-344)	55 (11-171)	539 (409-1,412)
BFA	59 (18-150)	83 (13-280)	597 (415-1,011)
BFB	55 (17-146)	74 (13-269)	592 (409-1,021)
CFA	34 (13-68)	38 (11-98)	487 (395-635)
CFB	31 (14-67)	36 (11-100)	482 (398-638)

* log-linear per region for all years and herd categories. Large herds become larger.

Results – current and future epidemics

- Starting in **high dense cattle** areas – **DTU-DADS** and **ISP**

Results as median (5-95)		Epidemic duration (days)	Infected herds	Total costs (x€10 ⁶)
2006/2007	DTU-DADS	56 (16-142)	67 (13-245)	562 (402-946)
	ISP	80 (5-255)	137 (3-696)	665 (399-1,137)
2030	DTU-DADS	43 (16-344)	55 (11-171)	539 (409-1,412)
	ISP	68 (11-215)	95 (5-371)	658 (416-1,188)

Results – current and future epidemics

- Starting in **high dense cattle** areas – **DTU-DADS** and **ISP**

Results as median (5-95)		Epidemic duration (days)	Infected herds	Total costs (x€10 ⁶)
2006/2007	DTU-DADS	56 (16-142)	67 (13-245)	562 (402-946)
	ISP	80 (5-255)	137 (3-696)	665 (399-1,137)
2030	DTU-DADS	43 (16-344)	55 (11-171)	539 (409- 1,412)
	ISP	68 (11-215)	95 (5-371)	658 (416- 1,188)

Results – depopulation

- Starting in **high dense cattle** areas – **DTU-DADS** and **ISP**

Depopulation Results as median (5-95)	Epidemic duration (days)	Infected herds	Slaughtered animals (x10 ³)	Total costs (x€10 ⁶)
DTU-DADS				
Basic scenario	43 (16-344)	55 (11-171)	26 (4-89)	539 (409-1,412)
Depop 500 m	38 (15-344)	49 (11-155)	30 (5-100)	531 (409-1,317)
Depop 1000 m	35 (15-93)	48 (11-132)	43 (5-134)	523 (409-834)
Depop 1500 m	33 (14-79)	44 (10-125)	63 (7-195)	518 (408-769)
Depop 3000 m	28 (13-59)	39 (10-107)	146 (12-444)	533 (410 -781)
ISP				
Basic scenario	68 (11-215)	95 (5-371)	52 (2-214)	658 (416-1,188)
Depop 500 m	68 (11-216)	99 (5-386)	65 (2-260)	663 (417-1,167)
Depop 1000 m	59 (11-183)	89 (5-348)	93 (2-357)	645 (416-1,128)
Depop 1500 m	59 (10-175)	83 (5-359)	130 (2-557)	659 (414-1,174)
Depop 3000 m	74 (11-205)	84 (5-358)	326 (2-1,145)	747 (422-1399)

Results – depopulation

- Starting in **high dense cattle** areas – **DTU-DADS** and **ISP**

Depopulation Results as median (5-95)	Epidemic duration (days)	Infected herds	Slaughtered animals (x10 ³)	Total costs (x€10 ⁶)
DTU-DADS				
Basic scenario	43 (16-344)	55 (11-171)	26 (4-89)	539 (409-1,412)
Depop 500 m	38 (15-344)	49 (11-155)	30 (5-100)	531 (409-1,317)
Depop 1000 m	35 (15-93)	48 (11-132)	43 (5-134)	523 (409-834)
Depop 1500 m	33 (14-79)	44 (10-125)	63 (7-195)	518 (408-769)
Depop 3000 m	28 (13-59)	39 (10-107)	146 (12-444)	533 (410 -781)
ISP				
Basic scenario	68 (11-215)	95 (5-371)	52 (2-214)	658 (416-1,188)
Depop 500 m	68 (11-216)	99 (5-386)	65 (2-260)	663 (417-1,167)
Depop 1000 m	59 (11-183)	89 (5-348)	93 (2-357)	645 (416-1,128)
Depop 1500 m	59 (10-175)	83 (5-359)	130 (2-557)	659 (414-1,174)
Depop 3000 m	74 (11-205)	84 (5-358)	326 (2-1,145)	747 (422-1399)

Results – vaccinate to kill (suppressive)

- Starting in **high dense cattle** areas – **DTU-DADS** and **ISP**

VacToKill (VTK) Results as median (5-95)	Epidemic duration (days)	Infected herds	Vaccinated animals (x10 ³)	Total costs (x€10 ⁶)
DTU-DADS				
Basic scenario	43 (16-344)	55 (11-171)	-	539 (409-1,412)
VTK 1 km	40 (15-344)	51 (11-162)	24 (0-87)	535 (408-1,413)
VTK 2 km	39 (16-344)	51 (11-148)	84 (2-285)	546 (414-1,459)
VTK 3 km	36 (16-344)	49 (11-144)	157 (6-510)	552 (412-1,488)
VTK 5 km	35 (15-344)	48 (11-127)	345 (16-990)	586 (418-1,502)
ISP				
Basic scenario	68 (11-215)	95 (5-371)	-	657 (415-1,186)
VTK 1 km	60 (11-171)	87 (5-335)	46 (0-185)	626 (414-1057)
VTK 2 km	56 (11-141)	83 (5-285)	151 (0-501)	648 (443-976)
VTK 3 km	51 (11-137)	76 (5-250)	263 (0-855)	533 (390-804)
VTK 5 km	48 (11-119)	69 (5-233)	533 (0-1,572)	650 (456-950)

Results – vaccinate to kill (suppressive)

- Starting in **high dense cattle** areas – **DTU-DADS** and **ISP**

VacToKill (VTK) Results as median (5-95)	Epidemic duration (days)	Infected herds	Vaccinated animals (x10 ³)	Total costs (x€10 ⁶)
DTU-DADS				
Basic scenario	43 (16-344)	55 (11-171)	-	539 (409-1,412)
VTK 1 km	40 (15-344)	51 (11-162)	24 (0-87)	535 (408-1,413)
VTK 2 km	39 (16-344)	51 (11-148)	84 (2-285)	546 (414-1,459)
VTK 3 km	36 (16-344)	49 (11-144)	157 (6-510)	552 (412-1,488)
VTK 5 km	35 (15-344)	48 (11-127)	345 (16-990)	586 (418-1,502)
ISP				
Basic scenario	68 (11-215)	95 (5-371)	-	657 (415-1,186)
VTK 1 km	60 (11-171)	87 (5-335)	46 (0-185)	626 (414-1057)
VTK 2 km	56 (11-141)	83 (5-285)	151 (0-501)	648 (443-976)
VTK 3 km	51 (11-137)	76 (5-250)	263 (0-855)	533 (390-804)
VTK 5 km	48 (11-119)	69 (5-233)	533 (0-1,572)	650 (456-950)

Results – vaccinate to live (protective)

- Starting in **high dense cattle** areas – **DTU-DADS** and **ISP**

VacToLive (VTL) Results as median (5-95)	Epidemic duration (days)	Infected herds	Vaccinated animals (x10 ³)	Total costs (x€10 ⁶)
DTU-DADS				
Basic scenario	43 (16-344)	55 (11-171)	-	539 (409-1,412)
VTL 1 km	39 (14-344)	51 (10-159)	23 (0-86)	608 (485-1,510)
VTL 2 km	37 (14-344)	48 (10-142)	79 (0-262)	606 (487-1,548)
VTL 3 km	34 (15-344)	45 (11-124)	143 (6-465)	609 (490-1,560)
VTL 5 km	31 (13-344)	43 (10-113)	304 (0-874)	616 (491-1,644)
ISP				
Basic scenario	68 (11-215)	95 (5-371)	-	657 (415-1186)
VTL 1 km	58 (10-168)	84 (5-301)	43 (0-174)	704 (491-1097)
VTL 2 km	48 (10-133)	70 (5-242)	127 (0-450)	662 (482-965)
VTL 3 km	43 (10-120)	66 (5-216)	222 (0-720)	650 (486-938)
VTL 5 km	38 (9-88)	56 (5-188)	417 (0-1,263)	636 (486-836)


Results – vaccinate to live (protective)

- Starting in **high dense cattle** areas – **DTU-DADS** and **ISP**

VacToLive (VTL) Results as median (5-95)	Epidemic duration (days)	Infected herds	Vaccinated animals (x10 ³)	Total costs (x€10 ⁶)
DTU-DADS				
Basic scenario	43 (16-344)	55 (11-171)	-	539 (409-1,412)
VTL 1 km	39 (14-344)	51 (10-159)	23 (0-86)	608 (485-1,510)
VTL 2 km	37 (14-344)	48 (10-142)	79 (0-262)	606 (487-1,548)
VTL 3 km	34 (15-344)	45 (11-124)	143 (6-465)	609 (490-1,560)
VTL 5 km	31 (13-344)	43 (10-113)	304 (0-874)	616 (491-1,644)
ISP				
Basic scenario	68 (11-215)	95 (5-371)	-	657 (415-1186)
VTL 1 km	58 (10-168)	84 (5-301)	43 (0-174)	704 (491-1097)
VTL 2 km	48 (10-133)	70 (5-242)	127 (0-450)	662 (482-965)
VTL 3 km	43 (10-120)	66 (5-216)	222 (0-720)	650 (486-938)
VTL 5 km	38 (9-88)	56 (5-188)	417 (0-1,263)	636 (486-836)


Results – Depopulated animals

- Starting in **high dense cattle** areas – **DTU-DADS**



Results – costs

- Starting in **high dense cattle** areas – **DTU-DADS**



Conclusions - 1

- **Future FMD epidemics are expected to be shorter and involve fewer infected herds**
- **Future epidemics are expected to be less costly**
- **However, extreme epidemics are expected to be larger and more costly**

Conclusions - 2

- **Epidemiologically**
 - Depopulation OR protective vaccination are both good strategies
- **Economically**
 - Depopulation or suppressive vaccination are better
 - BUT can result in large number of slaughtered animals
- Large zones can lead to extra losses